

Scoreboard Specifications

Overall size: 9'11 (W) x 6' (H) x 6" (D)
 Approximate Weight: 390 lbs
 10" LED Digits for (ALL)
 6" White Vinyl Lettering for HOME, GUEST
 4" White Vinyl Lettering for PERIOD
 3" White Vinyl Lettering for PLAYER, PENALTY

All LED digits include the following:
 *Shatter Resistant Lexan cover
 *Conformal coating to protect from environmental conditions
 *Surface Mount Technology LEDs allowing for wide viewing angle

ELECTRICAL SPECIFICATIONS


Electrical Ratings:
 - AC Mains Voltage/Freq: 120VAC (+/-10%) 1 Phase, 2 Wire / 60Hz.
 Requires an earth ground connection.
 - MAX Current: 8.8 Amps
 - AC Current Rating of Fuse or Circuit Breaker within SB: 15 Amps

Incoming AC Mains (Power Cord) and Data Location:
 Behind the Player of the Scoreboard.


Overcurrent Branch Circuit Protection supplying the scoreboard
 to be determined by customer in accordance
 with all local electrical codes.

REVISION HISTORY			
REV	DESCRIPTION	DATE	AUTHOR
A	INITIAL DESIGN	8/13/2022	M.LI
B	PENALTY AND PLAYER DIGIT EDITS	3/19/2023	E.LeClair

<p>NOTICE TO PERSON RECEIVING THIS DRAWING AND TECHNICAL INFORMATION:</p> <p>OES INC. CLAIMS PROPERTY RIGHTS TO THE MATERIAL DISCLOSED HEREIN. THIS DRAWING INCLUDES UNPUBLISHED PROPRIETARY MATERIAL DEVELOPED BY OES INC. AND AS SUCH IS NOT TO BE COPIED, REPRODUCED OR USED IN ANY WAY WITHOUT PRIOR WRITTEN AUTHORIZATION FROM OES INC.</p>		<p>4056 Blakie Road, London, ON, N6L 1P7 Tel: (519) 652-5833 Fax: (519) 652-3795 Email: oes@oes-inc.com</p>
<p>TOLERANCE INFORMATION Dimensions are in inches Fractional ± 1/16" Two Place Decimals ± 0.02" Three Place Decimals ± 0.005" Four Place Decimals ± 0.0005" Angular ± 2°</p>		
<p>THIRD ANGLE PROJECTION</p>		<p>DESCRIPTION</p> <p>OES ELECTRONIC SCOREBOARDS 3010BOCV-INFO</p>
<p>SIZE</p> <p>B</p>	<p>FILENAME</p> <p>3010BOCV-INFO.idw</p> <p>INIT DRAWING DATE</p> <p>2022-08-13</p> <p>REVISION</p> <p>A</p>	<p>USE FOR REVIEW</p>
<p>SCALE</p> <p>NTS</p>	<p>DRAWN BY</p> <p>M.LI</p>	<p>PAGE</p> <p>1 OF 1</p>




0'-6 1/8"
[0.2 m]



SINGLE CHANNEL UNISTRUT

POWER AND DATA



Scoreboard Specifications

Overall size: 9'11 (W) x 6' (H) x 6" (D)
Approximate Weight: 320 lbs

10" LED Digits for (ALL)

6" White Vinyl Lettering for HOME, GUEST
4" White Vinyl Lettering for PERIOD
3" White Vinyl Lettering for PLAYER, PENALTY

All LED digits include the following:

- *Shatter Resistant Lexan cover
- *Conformal coating to protect from environmental conditions
- *Surface Mount Technology LEDs allowing for wide viewing angle

ELECTRICAL SPECIFICATIONS

Electrical Ratings:

- AC Mains Voltage/Freq: 120VAC (+/-10%) 1 Phase, 2 Wire / 60Hz.
Requires an earth ground connection.

- MAX Current: 8.8 Amps

- AC Current Rating of Fuse or Circuit Breaker within SB: 15 Amps

Incoming AC Mains (Power Cord) and Data Location:
Behind the Player of the Scoreboard.

Overcurrent Branch Circuit Protection supplying the scoreboard
to be determined by customer in accordance
with all local electrical codes.

REVISION HISTORY			
REV	DESCRIPTION	DATE	AUTHOR
A	INITIAL DESIGN	8/13/2022	M.LI
B	PENALTY AND PLAYER DIGIT EDITS	3/29/2023	E.LeClair

NOTICE TO PERSON RECEIVING THIS DRAWING AND TECHNICAL INFORMATION:
OES INC. CLAIMS PROPERTY RIGHTS TO THE MATERIAL DISCLOSED HEREIN. THIS DRAWINGS INCLUDES UNPUBLISHED PROPRIETARY MATERIAL DEVELOPED BY OES INC. AND AS SUCH IS NOT TO BE COPIED, REPRODUCED OR USED IN ANY WAY WITHOUT PRIOR WRITTEN AUTHORIZATION FROM OES INC.

TOLERANCE INFORMATION
Dimensions are in inches
Fractional ± 1/16"
Two Place Decimals ± 0.02"
Three Place Decimals ± 0.005"
Four Place Decimals ± 0.0005"
Angular ± 2°

THIRD ANGLE PROJECTION

4056 Blakie Road,
London, ON, N6L 1P7
Tel: (519) 652-5833
Fax: (519) 652-3795
Email: oes@oes-inc.com

DESCRIPTION
**OES ELECTRONIC SCOREBOARDS
3010BUCV-INFO**

SIZE	FILENAME	INIT DRAWING DATE	REV
B	3010BUCV-INFO.idw	2022-08-13	A

USE FOR REVIEW

SCALE	NTS	DRAWN BY	M.LI	PAGE	1 OF 1
-------	-----	----------	------	------	--------